

License Activation and Deactivation

Prerequisites

Before you can activate the Qbitec for Revit plugin on your PC, you need valid license user credentials consisting of a **username (email address)** and a **password**. Please also check your spam folder if you have not received your login details.

For a **trial license**, the credentials will be sent directly to the email address you provided after requesting the trial on the website.

For a **purchased version** or a **team trial**, the initial login credentials for each created user are managed by the license manager of the plugin. Through the web interface, the license manager can view the initial password as long as it has not yet been changed. If a user forgets their password, the license manager can reset it there.

More details about the license user management can be found here: [License Management](#)

If you still encounter problems, please contact Qbitec support at: support@qbitec.com

License Activation

When using the plugin for the first time on a PC after installation, a warning triangle on the **Config/License** button in the Qbitec ribbon indicates that you need to activate your license before the plugin can be used.



Click the **Config/License** button to open the Qbitec Settings dialog. Enter your user email and the corresponding password in the designated fields, then click the **Activate** button.

Qbitech Settings

Sources

License Settings

Software Update

Converter Settings

Logging

License Settings


! To get started please enter your license data. If you don't have a password follow the link below for a free trial license or a purchase.

Your email address:

Your password:

Forgot your password?

Activate

Request a free trial version <https://qbitech.com/Trial> 


Purchase a license <https://qbitech.com/Order>

Manage licenses <https://users.licensespring.com/login> (ID: QBITEC)

Manage billing <https://billing.stripe.com/p/login/6oE6oL2EUfMPbgQdQQ>

Close

If the activation was successful, the license information is displayed is now shown in the license settings like this:




Troubleshoot Activation Failures

There can be multiple reasons why an activation could fail. Here are the most common ones together with possible solutions:

Incorrect credentials


In case the entered login data was incorrect the following message is shown:



Please retry to enter the correct credentials. If you have lost/forgotten your password the associated license manager can reset the password of a specific user on the web interface. See [Managing License for more Details: License Management](#)

Internet Connection Problems

To activate a license, the plugin must be able to communicate to the license spring server. Here an example of a shown error message due to internet connection problems:




Before proceeding, first verify that you have a working internet connection, for example by visiting a website in your browser.

If you are unable to access the internet, try reestablishing your connection by checking your Windows network settings with the assistance of your company's IT administrator.

If your internet connection works in the browser but you are still unable to activate the plugin, a proxy server or firewall rule may be blocking communication with the integrated License Spring Server. Please refer to our section on [Advanced Installation Topics](#) for more details.

Expired or Invalid Licenses

If the activation failed because your license is expired or is already activated on a different machine you may end up with an error message like this:



First, check whether your license has expired or is still activated on another device. If necessary, deactivate the license on the other machine.

If you are unable to resolve the issue, please contact support@qbitec.com for further assistance.

Transferring a License to another PC

Once a license has been activated for a user on a workstation, it is bound to that machine. To transfer the license to a different workstation, it must first be deactivated on the original machine before it can be activated on the new one.

To do this, open the **License Settings** in the **Qbitec Settings** dialog. The currently active license will be displayed there. To deactivate it, simply click the **Deactivate** button.

If you cannot deactivate the license on the old machine — for example, if it is broken or inaccessible — you can also resolve the issue by logging into the license management portal at <https://users.licensespring.com/login> using your license user credentials and the company code *QBITEC*. For more details, see [License Management](#)

Revision #15

Created 2026-03-12 08:41:16 UTC by Sören König

Updated 2026-03-27 06:48:53 UTC by Sören König